



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/925,990	08/09/2001	Charles Joel Arntzen	P00245USG	5525
22885	7590	11/03/2004	EXAMINER	
MCKEE, VOORHEES & SEASE, P.L.C. 801 GRAND AVENUE SUITE 3200 DES MOINES, IA 50309-2721			ZEMAN, ROBERT A	
			ART UNIT	PAPER NUMBER
			1645	

DATE MAILED: 11/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action

Application No.

09/925,990

Applicant(s)

ARNTZEN ET AL.

Examiner

Robert A. Zeman

Art Unit

1645

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

THE REPLY FILED 17 September 2004 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. Therefore, further action by the applicant is required to avoid abandonment of this application. A proper reply to a final rejection under 37 CFR 1.113 may only be either: (1) a timely filed amendment which places the application in condition for allowance; (2) a timely filed Notice of Appeal (with appeal fee); or (3) a timely filed Request for Continued Examination (RCE) in compliance with 37 CFR 1.114.

PERIOD FOR REPLY [check either a) or b)]

- a) ☒ The period for reply expires 3 months from the mailing date of the final rejection.
- b) ☐ The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f).

Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

1. ☐ A Notice of Appeal was filed on _____. Appellant's Brief must be filed within the period set forth in 37 CFR 1.192(a), or any extension thereof (37 CFR 1.191(d)), to avoid dismissal of the appeal.
2. ☒ The proposed amendment(s) will not be entered because:
- (a) ☐ they raise new issues that would require further consideration and/or search (see NOTE below);
- (b) ☐ they raise the issue of new matter (see Note below);
- (c) ☐ they are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal; and/or
- (d) ☐ they present additional claims without canceling a corresponding number of finally rejected claims.

NOTE: see attached.

3. ☐ Applicant's reply has overcome the following rejection(s): _____.
4. ☐ Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s).
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☒ request for reconsideration has been considered but does NOT place the application in condition for allowance because: see attached.
6. ☐ The affidavit or exhibit will NOT be considered because it is not directed SOLELY to issues which were newly raised by the Examiner in the final rejection.
7. ☒ For purposes of Appeal, the proposed amendment(s) a) ☒ will not be entered or b) ☐ will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended.

The status of the claim(s) is (or will be) as follows:

Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 73-75 and 79.

Claim(s) withdrawn from consideration: 76-78.

8. ☐ The drawing correction filed on _____ is a) ☐ approved or b) ☐ disapproved by the Examiner.
9. ☐ Note the attached Information Disclosure Statement(s) (PTO-1449) Paper No(s). _____.
10. ☐ Other: _____

Art Unit: 1645

ADVISORY ACTION

The amendment and reply filed on 9-17-2004 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s): the amendment to the claims is not in strict compliance with the revised 37 CFR 1.121 as required as of the effective date of July 30, 2003 (see attached). Specifically, withdrawn claims 76-78 do not include the text of the claims. Therefore, said amendment and response have not been made of record and hence, all rejections are maintained for reasons of record.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert A. Zeman whose telephone number is (571) 272-0866. The examiner can normally be reached on Monday- Thursday, 7am -5:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynette Smith can be reached on (571) 272-0864. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Robert A. Zeman
October 25, 2004


LYNETTE R. F. SMITH
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1600